



20D

DIRECT ACTING NORMALLY CLOSED SOLENOID VALVE BODIES*

Water, air & oil -10°C to +140°C. Two way, normally closed.

| | | | | | |
|------------|----|-------|----|--------------|---------------|
| 20B | ¼" | 140°C | NC | 0 to 16 bar | £26.00 |
| 20C | ⅜" | 140°C | NC | 0 to 6 bar | £30.00 |
| 20D | ½" | 140°C | NC | 0 to 6 bar | £32.00 |
| 20E | ¾" | 140°C | NC | 0 to 2.5 bar | £62.00 |
| 20F | 1" | 140°C | NC | 0 to 2.5 bar | £68.00 |

*Coils and Connectors are not included in valve body prices.



23D



SERVO-ASSISTED DIAPHRAGM NORMALLY CLOSED SOLENOID VALVE BODIES*

Water, Air & Oil -10°C to +90°C. Two way, normally closed.

| | | | | | |
|------------|-----|------|----|---------------|----------------|
| 23C | ⅜" | 90°C | NC | 0.1 to 20 bar | £40.00 |
| 23D | ½" | 90°C | NC | 0.1 to 20 bar | £44.00 |
| 23E | ¾" | 90°C | NC | 0.1 to 20 bar | £62.00 |
| 23F | 1" | 90°C | NC | 0.1 to 20 bar | £79.00 |
| 23G | 1¼" | 90°C | NC | 0.1 to 10 bar | £153.00 |
| 23H | 1½" | 90°C | NC | 0.1 to 10 bar | £162.00 |
| 23I | 2" | 90°C | NC | 0.1 to 10 bar | £200.00 |

*Coils and Connectors are not included in valve body prices.

Min 0.1 bar back pressure is necessary for the valve to close and open.



29D

SERVO-ASSISTED DIAPHRAGM NORMALLY OPEN SOLENOID VALVE BODIES*

Water, air & oil -10°C to +90°C. Two way, normally open.

| | | | | | |
|------------|-----|------|----|---------------|----------------|
| 29C | ⅜" | 90°C | NO | 0.1 to 20 bar | £44.00 |
| 29D | ½" | 90°C | NO | 0.1 to 20 bar | £46.00 |
| 29E | ¾" | 90°C | NO | 0.1 to 20 bar | £63.00 |
| 29F | 1" | 90°C | NO | 0.1 to 20 bar | £82.00 |
| 29G | 1¼" | 90°C | NO | 0.1 to 10 bar | £159.00 |
| 29H | 1½" | 90°C | NO | 0.1 to 10 bar | £168.00 |
| 29I | 2" | 90°C | NO | 0.1 to 10 bar | £207.00 |

*Coils and Connectors are not included in valve body prices.

Min 0.1 bar back pressure is necessary for the valve to close and open.



21B

22B

DIRECT ACTING NORMALLY CLOSED SOLENOID VALVE BODIES*

Refrigeration & Air Conditioning -40°C to +180°C. Two way, normally closed.
Medium R134a, R22, R404a 2.5mm orifice 3.5 l/min KV.

| | | | | | |
|------------|----|------------------|----|------------------|---------------|
| 21B | ¼" | SAE Flare 180°C | NC | 0 to 30 bar MOPD | £28.00 |
| 21C | ⅜" | SAE Flare 180°C | NC | 0 to 30 bar MOPD | £31.00 |
| 22B | ¼" | ODF Solder 180°C | NC | 0 to 30 bar MOPD | £31.00 |
| 22C | ⅜" | ODF Solder 180°C | NC | 0 to 30 bar MOPD | £36.00 |

*Coils and Connectors are not included in valve body prices.